



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT
PREVALENCE OF DISEASE, THE OCCURRENCE
OF EPIDEMICS, SANITARY LEGISLATION, AND
RELATED SUBJECTS

VOLUME 32

NUMBER 21

MAY 25, 1917



WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY
SUBSCRIPTION PRICE, \$2.00 PER YEAR

CONTENTS.

The Public Health Service in time of war—Executive order making the United States Public Health Service a part of the military forces of the United States..	773
Standard morbidity tables—Their significance to public health administration..	773
Typhoid fever—Recorded prevalence by States, 1916.....	775
Public health administration in South Bend, Ind.....	776

PREVALENCE OF DISEASE.

United States:

Anthrax—	
New Jersey.....	806
Cerebrospinal meningitis—	
South Dakota.....	806
State reports for April, 1917.....	806
City reports for week ended May 5, 1917.....	807
Erysipelas—	
City reports for week ended May 5, 1917.....	807
Leprosy—	
California—Oakland.....	807
Malaria—	
State reports for April, 1917.....	808
City reports for week ended May 5, 1917.....	808
Measles—	
California—Los Angeles.....	808
Washington—Seattle.....	808
Pellagra—	
State reports for April, 1917.....	808
City reports for week ended May 5, 1917.....	808
Pneumonia—	
City reports for week ended May 5, 1917.....	809
Poliomyelitis (infantile paralysis)—	
State reports for April, 1917.....	809
City reports for week ended May 5, 1917.....	809
Rabies in animals—	
City reports for week ended May 5, 1917.....	809
Rocky Mountain spotted fever—	
California—Palo Alto.....	810
Nevada—Paradise.....	810
Smallpox—	
Connecticut.....	810
Minnesota.....	810
Oregon—Astoria.....	810
State reports for April, 1917.....	811
Miscellaneous State reports.....	813
City reports for week ended May 5, 1917.....	813
Tetanus—	
City reports for week ended May 5, 1917.....	813

United States—Continued.

Typhoid fever—	Page.
Missouri—St. Louis—Milk-borne epidemic.....	813
State reports for April, 1917.....	815
City reports for week ended May 5, 1917.....	817
Typhus fever—	
City reports for week ended May 5, 1917.....	817
Diphtheria, measles, scarlet fever, and tuberculosis—	
State reports for April, 1917.....	817
City reports for week ended May 5, 1917.....	818
Special State reports—	
California report for week ended May 5, 1917.....	821
Massachusetts report for week ended May 5, 1917.....	821

Foreign:

Arabia—	
Plague—Aden.....	822
China—	
Examination of rats—Shanghai.....	822
Cuba—	
Communicable diseases—Habana.....	822
India—	
Smallpox—Madras—Periods 1901-12 and 1915-16.....	822
Union of South Africa—	
Plague—Orange Free State—New focus.....	823
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during the week ended May 25, 1917—	
Cholera.....	823
Plague.....	823
Smallpox.....	824
Typhus fever.....	824
Reports received from December 30, 1916, to May 18, 1917—	
Cholera.....	825
Plague.....	827
Smallpox.....	829
Typhus fever.....	832
Yellow fever.....	834